Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	(("6834326") or ("5890014") or ("6470026") or ("6101570") or ("6104561")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 08:49
L2	65	"6834326" "5890014" "6470026" "6101570" "6104561"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 07:32
L3	1	L1 and (collision or overwrite or overrun)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 07:33
L4	0	L3 and (collision)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 07:33
L5	27	SCSI.ab. and (SCSI with control\$5) and collision	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 07:50
L6	218	(SCSI with control\$5) and (collision with (detect\$5 or known or shown or monitor\$5 or correct\$5 or avoid\$5 or assum\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 07:52
L7	23	(SCSI with control\$5) and (collision with (detect\$5 or known or shown or monitor\$5 or correct\$5 or avoid\$5 or assum\$4) with (ID or identi\$5 or identif\$5 or LUN or name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/17 07:53
L8	13	("5892929").URPN.	USPAT	OR	ON	2005/02/17 08:17
L9	1	("6339599").URPN.	USPAT	OR	ON	2005/02/17 08:19
S1	2	("6266731").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/17 07:30

S3	3311	header with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 11:52
S4	174	(bus with (perform\$5 or review\$ or monitor\$5 or manag\$5)) and (header with key) and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 12:21
S5	19970	byte and pattern and (ID or identification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 11:54
S6	73	((bus with (perform\$5 or review\$ or monitor\$5 or manag\$5)) and (header with key) and @ad<"20000331") and (byte and pattern and (ID or identification))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 11:54
S7 .	45603	bus with perform\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/02/13 13:37
S8	58	(((bus with (perform\$5 or review\$ or monitor\$5 or manag\$5)) and (header with key) and @ad<"20000331") and (byte and pattern and (ID or identification))) and (bus with perform\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 11:55
S9	943	echo with buffer .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 11:55
S10	0	((((bus with (perform\$5 or review\$ or monitor\$5 or manag\$5)) and (header with key) and @ad<"20000331") and (byte and pattern and (ID or identification))) and (bus with perform\$5)) and (echo with buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 11:55
S11	0	(echo with buffer) and ((bus with (perform\$5 or review\$ or monitor\$5 or manag\$5)) and (header with key) and @ad<"20000331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 11:56

S12	95	(echo with buffer) and (bus with (perform\$5 or review\$ or monitor\$5 or manag\$5)) and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 13:38
S13	6298	header same key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 11:56
S14	0	((echo with buffer) and (bus with (perform\$5 or review\$ or monitor\$5 or manag\$5)) and (mader same key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 11:56
S15	28074	header and key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 11:57
S16	20	(header and key) and ((echo with buffer) and (bus with (perform\$5 or review\$ or monitor\$5 or manag\$5)) and @ad<"20000331")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 11:42
S17	170770	bus.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 11:58
S18	5	bus.ab. and ((header and key) and ((echo with buffer) and (bus with (perform\$5 or review\$ or monitor\$5 or manag\$5)) and @ad<"20000331"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/01 11:58
S19	5692082	verify\$5.ab. or monitor\$5.ab. or administrat\$5.ab. or control\$5.ab. or manag\$5.ab. or examin\$5.ab. or determin\$5.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 11:44
S20	179114	bus.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 11:43
S21	3526565	perform\$5.ab. or status.ab. or traffic\$5.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 11:44

S22	27478	S19 and S20 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 11:44
S23	32702	(verify\$5 or monitor\$5 or administrat\$5 or control\$5 or manag\$5 or examin\$5 or determin\$5) with (bus) with (perform\$5 or status or traffic\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 11:46
S24	9516	S22 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/02/13 11:46
S25	4980	key with (header or pattern or mark or structure or format or template) with (buffer or place or file or space or site)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 11:47
S26	2058	byte and (ID or identification or identity) and manufacturer and signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 11:48
S27	0	S24 and S25 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 11:53
S28	5	S24 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 11:51
S29	114	("5623628").URPN.	USPAT	OR	ON	2005/02/13 11:50
S30	0	S29 and S25 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 11:52
S31	1	S29 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 11:51
S32	3	("5745781").URPN.	USPAT	OR	ON	2005/02/13 11:51

S33	0	S32 and S25 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 11:52
S34	3	S23 and S25 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 11:53
S35	14586	bus with performance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 12:06
S36	44	key with header with pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 12:07
S37	1	S35 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 12:06
S38	425	key with header with (pattern or structure or format or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 12:11
S39	28	S38 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 12:08
S40	59261	key\$4 with (header or pattern or structure or format or template)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 12:11
S41	468	S40 and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 12:11
S42	285	S41 and @ad<"20010331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 12:12

S43	23130	manufact\$5 and signatur\$5	US-PGPUB;	OR	ON	2005/02/13 12:12
		manusatys and signaturys	USPAT; EPO; JPO; DERWENT; IBM_TDB	J.		2003/02/13 12:12
S44	35	S42 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 12:12
S45	8	("6378072").URPN.	USPAT	OR	ON	2005/02/13 12:16
S46	82238	bus with (perform\$5 or review\$ or monitor\$5 or manag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 12:20
S47	177	S46 and (header with key) and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 12:21
S48	379	S46 and (header with key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 12:21
S49	77	S48 and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 12:21
S50	2	("6038619").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/13 13:35
S51	1	("6038619").URPN.	USPAT	OR	ON	2005/02/13 13:36
S52	579	710/33.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 14:01
S53	49465	bus with perform\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 13:37

S54	204	S52 and S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 13:37
S55	0	(echo with buffer) and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 13:38
S56	153	buffer and S54	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 13:50
S57	0	S56 and "domain validation"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 13:51
S58	0	S56 and (domain with validation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 14:01
S59	117	S56 and (floppy or "CD-ROM" or (ZIP with drive) or (disk with drive) or peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 13:52
S60	111	S59 and (data with transfer\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 13:52
S61	87	byte and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 13:53
S62	42	header and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 13:53
S63	1	("6457081").URPN.	USPAT	OR	ON	2005/02/13 13:58
S64	21336	"710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 14:03

		<u> </u>				
S65	6	S64 and (domain with validation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 14:04
S66	23790	"711"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 14:04
S67	4	S66 and (domain with validation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 14:05
S68	34220	"709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 14:04
S69	49	S68 and (domain with validation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 14:08
S70	2	S64 and collision and buffer and header and byte and (data with transfer) and SCSI and PCI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 14:09
S71	19	("6026461").URPN.	USPAT	OR	ON	2005/02/13 14:10
S72	5	("6253269").URPN.	USPAT	OR	ON	2005/02/13 14:13
S73	9	domain with validation with SCSI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 15:43
S74	12	(domain with validation) same SCSI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 15:44
S75	3	(domain with validation) with computer with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 15:44
S76	1	"6463552".PN.	USPAT; USOCR	OR	ON	2005/02/13 15:45
S77	5	("6463552").URPN.	USPAT	OR	ON	2005/02/13 15:45

S78	1	"5915106".PN.	USPAT; USOCR	OR	ON	2005/02/13 15:45
S79	8	("5915106").URPN.	USPAT	OR _.	ON	2005/02/13 15:45
S80	1	"5890014".PN.	USPAT; USOCR	OR	ON	2005/02/13 15:45
S81	35	("5890014").URPN.	USPAT	OR	ON	2005/02/13 15:46
S82	, 1	"5862352".PN.	USPAT; USOCR	OR	ON	2005/02/13 15:46
S83	2	("5862352").URPN.	USPAT	OR	ON	2005/02/13 15:46
S84	1	"5778420".PN.	USPAT; USOCR	OR	ON	2005/02/13 15:46
S85	16	("5778420").URPN.	USPAT	OR	ON	2005/02/13 15:48
S86	77	S73 or S74 or S75 or S76 or S77 or S78 or S79 or S80 or S81 or S82 or S83 or S84 or S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 15:48
S87	21	S86 and ((SCSI or interfac or bus or PCI) with (performanc\$5 or integrit\$5 or status or quality or speed or cylce))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 15:56
S88	63616	(SCSI or RAID or interfac or bus or PCI) with (performanc\$5 or integrit\$5 or status or quality or speed or cylce)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 15:57
S89	2374	header and byte and ((vendor or manufact\$5 or company) with (ID or label or name or identity or signature))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 15:58
S90		S88 and S89	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 15:58
S91	465	S90 and @ad<"20011031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 15:59
S92	9915216	peripheral or device or ROM or drive or disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 15:59

S93	465	S91 and S92	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 16:01
S94	123	S93 and buffer and initiator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 16:01
S95	3	("6609167").URPN.	USPAT	OR	ON	2005/02/13 16:07
S96	5	("6266723").URPN.	USPAT	OR	ON	2005/02/13 16:10
S97	11	("6247077").URPN.	USPAT	OR	ON	2005/02/13 16:12
S98	2	("6574755").URPN.	USPAT	OR	ON	2005/02/13 16:14
S99	1336	(SCSI with bus) and header and byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 16:15
S10 0	193248	multiple with (device or peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 16:16
S10 1	484	S99 and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:08
S10 2	63540	signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 16:16
S10 3	64	S102 and S101	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:07
S10 4	. 0	("6658459").URPN.	USPAT	OR	ON .	2005/02/13 16:26
S10 5	272	S101 and (bus with (performanc\$5 or monitor\$5 or view\$5 or watch\$5 or status))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:09

S10 6	9081	initiator and target and (buffer or quene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:20
S10 7	115	S105 and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:18
S10 8	2	("6266731").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/13 17:12
S10 9	2	("6226680").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/13 17:18
S11 0	31	("6226680").URPN.	USPAT	OR	ON	2005/02/13 17:19
S11 1	179114	bus.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:20
S11 2	58	S107 and S111	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:20
S11 3	134181	byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/13 17:21
S11 4	58	S112 and S113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 07:10
S11 5	303	verif\$5.ab. with bus.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 07:27
S11 6	12	S115 and (initiator and byte)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 07:11

	· -		Γ-			
S11 7	12	S115 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 07:16
S11 8	448	verif\$5 near2 bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 07:17
S11 9	83	S118 and S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 07:17
S12 0	0	("6535937").URPN.	USPAT	OR	ON	2005/02/14 07:22
S12 1	4	("6173243").URPN.	USPAT	OR	ON	2005/02/14 07:23
S12 2	11	("6085278").URPN.	USPAT ·	OR	ON	2005/02/14 07:24
S12 3	0	("6430632").URPN.	USPAT	OR	ON	2005/02/14 07:25
S12 4	0	("6282705").URPN.	USPAT	OR	ON	2005/02/14 07:26
S12 5	0	("6233628").URPN.	USPAT	OR	ON	2005/02/14 07:27
S12 6	1	Iomega near4 controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:24
S12 7	6	(("6104561") or ("4975898") or ("4644493")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 11:30
S12 8	150	"6104561" "4975898" "4644493"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:25
S12 9	883	Iomega.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:26

S13 0	0	S129 & (scsi near4 (transfer\$ with rat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:32
S13 1	2	S129 & (scsi near4 transfer\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:33
S13 2	0	S129 & (echo near4 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:33
S13 3	4	S129 & (writ\$ near4 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:33
S13 4	21	S129 & (data near4 pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:33
S13 5	0	S129 & (IDE near4 cable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:29
S13 6	6	S129 & (IDE near4 connect\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:33
S13 7	0	S128 & (echo near4 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:31
S13 8	183	(scsi near4 (transfer\$ with rat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:32
S13 9	5	S128 & S129 .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:32

	4744		1.10.000110		T	
S14 0	1714	(scsi near4 transfer\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:33
S14 1	429	(echo near4 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:33
S14 2	44165	(writ\$ near4 buffer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:33
S14 3	100051	(data near4 pattern)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:33
S14 4	1568	(IDE near4 connect\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:33
S14 5	1	S140 and S141 and S142 and S143 and S138	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 11:41
S14 6	4	("6804689").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 11:42
S14 7	2	("6757698").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 11:43
S14 8	150	"6104561" "4975898" "4644493"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 12:30
S14 9	6	(("6104561") or ("4975898") or ("4644493")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/14 12:25
S15 0	8	("6104561").URPN.	USPAT	OR	ON	2005/02/14 12:25

			<u> </u>			
S15 1	4	("6453369").URPN.	USPAT	OR	ON	2005/02/14 12:29
S15 2	0	S148 and (((multiple or many or " more " or several) with initiat\$4) and (scsi near3 control\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:32
S15 3	0	"Generally, tunneling is the tranportation"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:57
S15 4	0	"Generally, tunneling is the transportation"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:58
S15 5	0	"Generally, tunneling is the"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:58
S15 6	0	"TUNNELING BETWEEN A BUS AND A NETWORK"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 13:59
S15 7	1	"TUNNELING BETWEEN A BUS"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 14:11
S15 8	1	S157 and ((bandwidth or speed or flow or rate) same header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 14:57
S15 9	466	(SCSI.ab. and controller.ab.) and "SCSI controller"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 14:57
S16 0	33	((multiple or many or " more " or several) with initiat\$4) and S159	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 15:05
S16 1	3	S160 and header	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 16:15

S16 2	3	S161 and (initiator same (ID or identif\$5 or identit\$5 or mark\$5 or flag\$5 or name))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/14 16:18
S16 3	3	S161 and (initiator or (ID or identif\$5 or identit\$5 or mark\$5 or flag\$5 or name) or pattern or template or packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/02/15 09:30
S16 4	3	("6834326").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/15 09:30
S16 5	2	S164 and (initiator or device or header or encapsulat\$5 or format\$3 or ID or identif\$5 or identit\$5 or packet\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR '	ON	2005/02/15 10:27
S16 6	1	S164 and (target or quene or buffer or RAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:35
S16 7	1	S164 and (target or quene or buffer or RAM or cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:36
S16 8	1	S164 and (target or queu\$4 or quene or buffer or RAM or cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:37
S16 9	1	S164 and (target or queu\$4 or quene or buffer or RAM or cach\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:43
S17 0	1	S164 and ((target or queu\$4 or quene or buffer or RAM or cach\$4) with (rat\$5 or speed\$5 or bandwidth or throughput or length or amount))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:56
S17 1	2	S164 and (rat\$5 or speed\$5 or bandwidth or throughput or length or amount or time or timing)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:57
S17 2	0	("6834326").URPN.	USPAT	OR	ON	2005/02/15 11:35

S17	9	(("6601101") or ("6826613") or	US-PGPUB;	OR	OFF	2005/02/15 11:43
3		("6344688") or ("6437436")).PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB			
S17 4	3	S173 and (throughput or speed or rate or "through put")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 12:46
S17 5	16	"6601101" "6826613" "6344688" "6437436"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 11:43
S17 6	1	"TUNNELING BETWEEN A" .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 12:46
S17 7	1	S176 and (rate or speed or throughput or "through put" or bandwidth)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 12:48
S17 8	4	(S164 or S173 or S176) and ((flow or rate or speed or throughput or "through put" or bandwidth) with (data or header or packet\$5 or datagram\$3 or byte))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 12:52
S17 9	4	(S164 or S173 or S176) and ((traffic or flow or rate or speed or throughput or "through put" or bandwidth) with (data or header or packet\$5 or datagram\$3 or byte))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:17
S18 0	1	S164 and ((byte with (four or "4" or three or "3")) or (byte with (generat\$5 or send\$5 or transf\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 13:40
S18 1	1	S164 and (error or chang\$3 or collision)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:03
S18 2	1	S164 and (collision or overwrit\$5 or overlap\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:09

S18 3	1	S164 and (error with (type or definit\$5 or catagor\$5 or determin\$5 or evaluat\$5 or monitor\$5 or watch\$5 or defin\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:12
S18 4	1	S164 and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:38
S18 5	1	S164 and (threshold or times)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:41
S18 6	1	S164 and ((initiator or ID or identification or host) with (chang\$4 or alter\$3 or different))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 14:43
S18 7	137	SCSI.ab. and RAID.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:25
S18 8	71550	(multiple or many or numerous or "more than" or several) with (initiator or host or CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:26
S18 9	23	S187 and S188	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:25
S19 0	8	S189 and byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:22
S19 1	254	SCSI.ab. and RAID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:26
S19 2	23	S189 and S188	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:25

S19	5897	(multiple or many or numerous or	US-PGPUB;	OR	ON	2005/02/15 15:26
3		"more than" or several) with initiator	USPAT; EPO; JPO; DERWENT; IBM_TDB			
S19 4	3404	SCSI and RAID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:26
S19 5	112	S193 and S194	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:27
S19 6	61	S195 and byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:27
S19 7	12	("6052759").URPN.	USPAT	OR	ON	2005/02/15 15:59
S19 8	15041	(SCSI and RAID) or (SCSI with (control\$3 or device or manag\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:00
S19 9	3709	S198 and S188	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:00
S20 0	374	S198 and S193	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:00
S20 1	13246	header with byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:01
S20 2	288	S201 and S199	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:01
S20 3	76	S201 and S200	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:01

\$20 4	324892	data with (ID or identif\$5 or identit\$5 or signatur\$5 or vendor or manufact\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:02
S20 5	225	S204 and S202	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:03
S20 6	73	S203 and S204	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:03
S20 7	1207	S204 with S201	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:03
S20 8		S207 and S203	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 16:03
S20 9	9	S207 and S202	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 08:56
S21 0	2	("6738821").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 08:20
S21 1	0	S210 and ((generat\$5 or attach\$5 or transfer\$5 or transmit\$5 or generat\$5) with header with (ID or identif\$5 or identit\$5 or name) with (host or initiator or CPU or processor or computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:22
S21 2	1	S210 and ((generat\$5 or attach\$5 or transfer\$5 or transmit\$5 or generat\$5) with header with (host or initiator or CPU or processor or computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 08:23
S21 3	1	S210 and ((encapsulat\$5 or generat\$5 or attach\$5 or transfer\$5 or transmit\$5 or generat\$5) with header with (host or initiator or CPU or processor or computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 08:24

S21 4	2	S210 and (header with (host or initiator or CPU or processor or	US-PGPUB; USPAT;	OR	ON	2005/02/16 08:24
		computer))	EPO; JPO; DERWENT; IBM_TDB			
S21 5	2	(<u>"</u> 6470026").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 08:57
S21 6	1	S215 and (buffer or cache or quene or queue) with (target or device or peripheral or disk or drive or ROM or RAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON ,	2005/02/16 10:19
S21 7	0	S215 and ((throughput or "through put" or flow or rate or bandwidth or amount or speed) with target)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:12
S21 8	2	S215 and (throughput or "through put" or flow or rate or bandwidth or amount or speed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 10:24
S21 9	2.	S215 and (throughput or "through put" or flow or rate or bandwidth or amount or speed or time or second or rate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:05
S22 0	232	"Fibre Channel Controller"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:06
S22 1	78779	Hewlett .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:06
S22 2	80	S220 and S221	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:13
S22 3	2	("6314477").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:11

S22 4	0	S223 and ((throughput or "through put" or flow or rate or bandwidth or amount or speed) with target)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:14
S22 5	1	S223 and (throughput or "through put" or flow or rate or bandwidth or amount or speed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 12:47
S22 6	9014	SCSI with control\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:13
S22 7	633	S226 and ((throughput or "through put" or flow or rate or bandwidth or amount or speed) with target)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:21
S22 8	167	S227 and header and byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:22
S22 9	2	S228 and ((generat\$5 or attach\$5 or transfer\$5 or transmit\$5 or generat\$5) with header with (ID or identif\$5 or identit\$5 or name) with (host or initiator or CPU or processor or computer))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:15
S23 0	34	("5287463").URPN.	USPAT	OR	ON	2005/02/16 11:16
S23 1	7556	S226 and (throughput or "through put" or flow or rate or bandwidth or amount or speed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:22
S23 2	1150	S231 and header and byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:22
S23 3	458	S232 and ((generat\$5 or attach\$5 or transfer\$5 or transmit\$5 or generat\$5) with header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:23

S23 4	349	S233 and (header with (ID or identif\$5 or identit\$5 or number or name or LUN))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 12:49
S23 5	201	S234 and (header with (buffer or quene or queu\$3 or cache or RAM or ROM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:25
S23 6	53	S235 and ((evaluat\$5 or determin\$5 or read\$5 or examin\$5 or calculat\$5 or figur\$5) with header with (throughput or "through put" or flow or rate or bandwidth or amount or speed or clock or cycle or length))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:44
S23 7	0	("6643710").URPN.	USPAT	OR	ON	2005/02/16 11:39
S23 8	8	S236 and (manufact\$5 or vendor or supplier) and collision and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 11:45
S23 9	19	("6026461").URPN.	USPAT	OR	ON	2005/02/16 11:50
S24 0	2	("6026461").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 11:50
S24 1	1	S240 and (throughput or "through put" or flow or rate or bandwidth or amount or speed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 12:48
S24 2	0	S240 and ((throughput or "through put" or flow or rate or bandwidth or amount or speed) with header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 12:48
S24 3	25007	((throughput or "through put" or flow or rate or bandwidth or amount or speed) with header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 12:49
S24 4	196	S243 and (SCSI with control\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 12:49

				Γ		
S24 5	167	S244 and (header with (ID or identif\$5 or identit\$5 or number or name or LUN))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 12:50
S24 6	152	S245 and byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 12:50
S24 7	0	("6269464").URPN.	USPAT	OR	ON	2005/02/16 13:02
S24 8	2	("6269464").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 13:02
S24 9	2	S248 and ((packet or header or sequence or segment) with (ID or identif\$4 or identit\$4 or name or code or number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:04
S25 0	. 1	S248 and ((packet or header or sequence or segment) with (target or device or buffer or cache or queue or quene))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:06
S25 1	1	S248 and ((packet or header or sequence or segment) with (read\$4 or examin\$5 or analy\$5 or view\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:07
S25 2	9008	SCSI with control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:13
S25 3	2301	initiator and target and byte	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2005/02/16 13:13
S25 4	43261	header with (ID or ident\$it\$4 or identif\$4 or name or number or LUN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:14
S25 5	8175221	throughput or "through put" or speed\$4 or rate or time or timing or clock or bandwidth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:58

			,			
S25 6	46445	(logical with negat\$4) or X0R or (exclus\$4 with " or ")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:16
S25 7	29	S252 and S253 and S254 and S255 and S256	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:25
S25 8	2	S257 and manufact\$5 and signatur\$5 and algorithm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:25
S25 9	205	(integrity or throughput or "through put") with physical with connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 14:00
S26 0	2	S252 and S259	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 13:59
S26 1	10470	(integrity or throughput or "through put") with connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 14:00
S26 2	159	S261 and S252	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 14:00
S26 3	. 11	S262 and S253	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 14:00
S26 4	22	("5954796").URPN.	USPAT	OR	ON	2005/02/16 14:06
S26 5	1	"6487474".PN.	USPAT; USOCR	OR	ON	2005/02/16 14:07
S26 6	1	"6487474".PN.	USPAT; USOCR	OR	ON	2005/02/16 14:08
S26 7	1	"6328766".PN.	USPAT; USOCR	OR	ON	2005/02/16 14:08
S26 8	5	("6328766").URPN.	USPAT	OR	ON	2005/02/16 14:09

						
S26 9	2	("6098114").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 14:38
S27 0	2	("5890014").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/16 14:43
S27 1	37	"5890014"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 14:47
S27 2	1	S270 and (initiator or host or CPU or processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 14:43
S27 3	0	S271 and (multipl\$4 with initiator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 14:48
S27 4	1	S271 and ((many or numerous or "more than" or several) with initiator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 14:48
S27 5	1	"6463552".PN.	USPAT; USOCR	OR	ON	2005/02/16 14:48
S27 6	1	"5915106".PN.	USPAT; USOCR	OR	ON	2005/02/16 14:49
S27 7	1	"5890014".PN.	USPAT; USOCR	OR	ON	2005/02/16 14:49
S27 8	1	"5862352".PN.	USPAT; USOCR	OR	ON	2005/02/16 14:50